
PERGO® WOOD PARQUET



Patterns - a look that lasts

A pattern floor brings a new dimension to the natural beauty of a wood floor. If you are looking to add a distinct elegance to your interior, the Herringbone or Chevron patterns will bring personality and style to complement any room.

COVER PHOTO: NATURAL HERRINGBONE OAK W3143-05115










Herringbone - elegance never goes out of style

The Herringbone pattern is a classic in its own right. A traditional look that fits just as well in a modern interior. Use it to create a distinguished impression on its own, or to set the stage for spectacular design. Either way, you'll get a floor that lives up to your highest expectations.



Chevron

– a sign of true character

The straight lines of the Chevron pattern create a stylish look that elevates a wide selection of interiors. Classic, minimalistic, yet bursting with character and personality.

HOW TO GET



consisting of several smaller planks





For the world around you

Choosing a beautiful floor is not just a matter of design and enhancing your interior. As with so many other products, it's a decision that reaches beyond the walls of your home, and that's why we would like to tell you how your new floor is produced.

At Pergo, we've taken measures to ensure minimal impact on the environment in every

step of the manufacturing process – and throughout the entire life cycle of our wood floors. The core is made from spruce, pine or recycled wood. The top layer is sourced from

sustainable supplies of oak and ash in Europe. Our lacquer meets strict international emission norms, so you can enjoy your wood flooring in the knowledge that it is made with respect for the environment.

As a testament to our commitment and care for the environment, Pergo was the first flooring company ever to receive the official Nordic Ecolabel, the Green Swan. And our new ecological and environmentally friendly wood floors are no exception!











What makes Pergo Wood Parquet so special?

Get into the details here!



Pergo wood floors consist of 3 layers of wood with the grain running in different directions to reduce the natural expansion and shrinking caused by fluctuations in temperature and humidity. An advanced core of spruce or hdf absorbs stress and strain to ensure that your floor remains stable in all conditions.



1 Protective finish

7 layers of high quality lacquer provide maximum wear and scratch protection and ensure easy maintenance.

2 Face layer

A carefully selected wood layer, 2.5 or 3 mm, that can be sanded 3 times.

3 Advanced core

The core absorbs the stresses and strains that are put on your floor, and ensures that it remains stable in all conditions.

4 Balanced backing

The backing veneer is made from ecologically certified wood and helps to perfectly balance the boards.

Lifetime guarantee

Thanks to a robust and innovative construction, every Pergo wooden floor is made to last, and that's why our products come with an extensive warranty.

» All floors have a **lifetime guarantee.**

» And a 10 year StayClean, moisture protection, guarantee.

Makes your new wood floor stay young!

All Saltholm floors now feature StayClean technology. StayClean makes the floor extra resistant to liquids and spills, and prevents dirt from getting into the joints and wood texture. Other, untreated, wood floors can be penetrated by dirt and water, causing permanent discolouration.





WITHOUT StayClean...

Grading

Each tree is unique, and even different parts of the same tree produce different appearances. Knots and grain patterns help define and add character. Some of our products have more character than others, and that is why we have developed a grading system to help you find the floor with the expression you want. Please see pergo.com for more detailed information.



Wood with small knots; natural variation in colour and structure.



Lively
Wood with large knots and cracks; lively variation in colour
and structure and a rather rustic appearance.










Sandhamn

1050 x 310 x 14 mm | 3 mm surface | no bevel





GRADINGS: Selected, Lively





For technical reasons the colours printed here may differ from actual floor colours. We recommend visiting a dealer to view a sample prior to purchase.

Underlay



Silent Walk PGUDLSW7

For Saltholm and Sandhamn we recommend to use our most performing underlay -Silentwalk. Silentwalk keep out the noise of footsteps in the best possible way. This underlay is also excellent in case you have floor heating. Vapour barrier included. 2 mm thickness, 7 m² / roll.







5 perfect finishes in 1

Pergo 5-in-1 offers different moulding solutions for different parts of your floor, all wrapped up in one handy package. The mouldings match your floor perfectly in colour, as well as in texture, and the one-piece solutions give a seamless installation result. The surface is made of wear and scratch-resistant veneer. The core consists of HDF and the bottom rail is made of plastic. With the patented Incizo® solution, you easily cut the moulding to the shape you need. Knife is included. Suitable for flooring heights between 12.5 and 14 mm.



T-moulding From wood to wood.




Carpet transition From wood to carpet.





Hard surface reducer From wood to ceramic, vinyl or linoleum.



End moulding Finishing up to threshold, sliding doors, etc.





Stair nose moulding, flush For a flush finish on stair treads.

NEWINCPBASE2ME215, for 12.5 mm floors




Stair nose moulding For a step down from a floating floor, e.g. at the top of the stairs or a step down in a room.



Stair nose, aluminium PGSTPSILVME270N, 2700 x 23 mm Fits flooring thickness of 7 – 16 mm. Surface: aluminium. Colour: silver.

The Incizo® subprofile is required for stair application and has to be ordered separately. NEWINCPBASE3ME215, for 14 mm floors







Wallbase, straight PGWPPSKR(-), 2400 x 16 x 80 mm See matching matrix for correct art no. Surface: wear and scratch-resistant veneer. Core: MDF. Colour matched.

Wallbase, white and paintable PGWPPSKRWHITE, 2400 x 16 x 80 mm - white PGWPPSKRPAINT, 2400 x 16 x 80 mm - paintable Surface: foil. Core: MDF. Colour: white (NCS 0502 Y), paintable.



PGSCOTWHITE, 2400 x 17 x 17 mm - white PGSCOTPAINT, 2400 x 17 x 17 mm - paintable Surface: foil. Core: MDF. Colour: white, paintable.



Maintenance

Our high-quality, ergonomically designed original maintenance accessories make it even easier to keep your floor looking fresh for longer. To maintain the lustre of a Pergo floor, avoid using regular cleaning products such as soaps and detergents as these will form a film on the surface. Pergo's special all round cleaner removes dirt without leaving a film if used correctly.



Cleaning kit PGCLEANINGKIT

High-quality mop set with extra-long ergonomic handle and a mop-cloth holder with a practical Velcro fastener for attaching the mop cloth.



All-round Floor Cleaner PGCLEANALL1000


Specially developed for cleaning laminate wood and vinyl flooring. Ideal for removing dirt, grease spots and heel marks, as well as for daily cleaning.



Repair wax PGREPAIR

Repair the colour of damaged planks quickly and easily with wax in colours that match the Pergo wood palette. Contains 1 melting knife, 1 comb, 7 wax blocks. For more information on how to mix colours, please visit pergo.com.

Matching matrix




Formats

	Collection	Length, mm	Width, mm	Thickness, mm	Planks / pack	m² / pack	Pack / pallet	m²/ pallet
Plank design	Saltholm	580	145	14	12	1.009	40	40.370
	Sandhamn	1050	310	14	4	1.302	24	31.248









pergo.com



